



XIAMEN STAVAL VALVE TECHNOLOGY CO.,LTD

Add : No.1006,Builing1,Hubin South Road,Siming District, Xiamen, China

Phone/whatsapp: +86 15759227330

Email: inquiry@stavalves.com

Web: www.stavalves.com



**XIAMEN STAVAL VALVE
TECHNOLOGY.,LTD**

COMPANY
PROFILE

XIAMEN STAVAL VALVE TECHNOLOGY Co., Ltd. Marketing department is located in Xiamen, China, a beautiful garden city with developed economy and convenient transportation, attracting a large number of talents and creating value for world development. And the manufacturing headquarters is located in Wenzhou, the hometown of China pumps and valves.

STAVAL is a valve company providing one-stop solution integrating production, trade and inspection services. We are committed to engineering design, manufacturing and supplying superior products, and providing excellent personal service to our customers. We have a well-established system equipped with a capable team of responsible technicians and inspectors, perfect workshop management and experienced sales department. After years of accumulation, STAVAL has a wide range of business radiation, covering South America, Europe, South Africa, the Middle East, etc, and it's still growing.

STAVAL RPRODUCTS

We provide the best professional solutions for the most demanding industries, including oil and gas, chemical, petrochemical, pharmaceutical and mining. Our products include gate valves, globe valves, check valves, ball valves, butterfly valves, plug valves, strainers and so on, which sizes ranges from 1/2" all the way to 60", pressure from ANSI /ASME 125 to 4500LBS and UNI from PN6 to PN400, and the standard is according to API, ASME, ASTM, EN, DIN, GOST, GB.

STAVAL QUALITY

Outstanding quality is our first priority. STAVAL specially develops a team of experienced technicians and inspectors who have engaged in valve field for more than 10 years to control the production process and quality. From raw material selection to final shipment, we guarantee that the whole process will be under strictly monitoring.What's worthy noted is that we do 100% inspection before shipment. Inspection contents include appearance, dimensions, material chemical compositions, hydraulic test, air test, torque value, painting (type, color, thickness and painting technique), package and so on.

STAVAL ADVANTAGE

Our expertise is to figure out personalized solutions to every customer's unique requirements and provide excellent service with accurate and reasonable prices, outstanding quality and valued technical solution. We hope to be not only your business supplier, but also one part of your team!

What you want is what I want, let our indispensable advantage be your best choice!



BS5163
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN40-DN1200
Class:PN10,PN16,PN25



DIN3352 F4
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN40-DN1200
Class:PN10,PN16,PN25



DIN3352 F5
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN50-DN600
Class:PN10,PN16,PN25



DIN3352 F5
Resilient Seated Gate Valve
Type: NRS,Socket End for PVC
Size:DN50-DN300(63-315mm)
Class:PN10,PN16



BS5163
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN40-DN600
Class:PN10,PN16,PN25



DIN3352 F4
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN40-DN600
Class:PN10,PN16,PN25



DIN3352 F5
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN50-DN600
Class:PN10,PN16,PN25



DIN3352 F5
Resilient Seated Gate Valve
Type: NRS,Socket End for PVC
Size:DN50-DN300(63-315mm)
Class:PN10,PN16



BS5163 Heavy Type
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN50-DN1200
Class:PN10,PN16,PN25



DIN3352 F4 Heavy Type
Resilient Seated Gate Valve
Type: NRS,Flange End
Size:DN50-DN1200
Class:PN10,PN16,PN25



GOST
Resilient Seated Gate Valve
Type:NRS,Flange End
Size:DN50-DN600
Class:PN10,PN16,PN25



BS5163 DIN3352 F4/F5 GOST
Resilient Seated Gate Valve
Type:OS&Y,Flange End
Size:DN50-DN450
Class:PN10,PN16



BS5163/DIN3352 F4

Resilient Seated Gate Valve

Type:NRS,Flange End

Size:DN700.DN800.DN900.DN1000.DN1100.DN1200

Class:PN10,PN16

Operation:Handwheel,Cap,Bevel-gear, Spur-gear,Electric actuator, Top flange only.



Gate Valve With Electric actuator

Size:DN40-DN1200

Class:PN10,PN16



AWWA C509

Size:DN50-DN1200

Class:PN10,PN16,PN25



Extended Stem Gate Valve

Size:DN50-DN1200

Class:PN10,PN16,PN25



Knife Gate Valve

Size:DN40-DN1200

Class:PN10,PN16



DIN3202 F6

Swing Check valve

Sealing:Brass to Brass

Size:DN50-DN400

Class:PN10,PN16,PN25



DIN3202 F6

Ball Check valve

Size:DN50-DN300

Class:PN10,PN16



DIN3202 F6

Rubber Disc Check valve

Sealing:Brass to Rubber

Size:DN50-DN400

Class:PN10,PN16,PN25




Rubber Disc Check Valve

Sealing:Iron to Rubber

Size:DN50-DN600

Class:PN10,PN16



Wafer Double Disc Check Valve

Size:DN50-DN800

Class:PN10,PN16



Silent Check Vave

Size:DN50-DN600

Class:PN10,PN16



Silent Check Foot Valve

Size:DN50-DN600

Class:PN10,PN16



Foot Valve

Size:DN50-DN300

Class:PN6,PN10

BUTTERFLY VALVES



Wafer Butterfly valve

Size:DN40-DN1200

Class:PN10,PN16



Lug Butterfly valve

Size:DN40-DN800

Class:PN10,PN16



Flanged Butterfly valve

Size:DN40-DN1200

Class:PN10,PN16



Double-eccentric Flanged Butterfly valve

Size:DN40-DN1200

Class:PN10,PN16



DIN3202 F1/BS2080

Y Strainer

Size:DN50-DN600

Class:PN10,PN16



ISO4064

Flanged Water Meter

Size:DN50-DN600

Class:PN10,PN16



Single Orifice Air Valve

Size:DN50-DN300

Class:PN10,PN16



Double Orifice Air Valve

Size:DN50-DN200

Class:PN10,PN16,PN25



100X Float Valve



200X Pressure Reducing Valve



300X Multi-function Check Valve



400X Flow Control Valve




500X Pressure Relief Valve



Flexible Rubber Joint



Flexible Rubber Joint



Compensator



Stainless Steel Expansion Joint



Angle Type Float Valve



Float Valve




Pressure Reducing Valve



Multi-function Check Valve



Pressure Relief Valve



Dismantling Joint



Saddle



Saddle



Repair Clamp

HVAC VALVES



Static Balancing Valve




Differential Pressure Control Valve




Dynamic Flow Control Valve



Temperature Control Valve



Flange Adaptor



Universal Coupling



Flange Adaptor



Coupling